HAND OPERATED CURTAIN TRACK SYSTEMS



04/2024/V1

SilentGliss

GENERAL NOTES

Dimensions

- *Measurements are in mm except where indicated.*
- *Max. kg relates to fabric incl. accessories.*
- *Stack size depends on curtain make-up and fabric thickness.*
- *Distance between gliders max. 80 mm / distance between rollers max. 100 mm.*
- *Recommended distance floor / fabric: 20 mm.*
- *In order to determine system height (B), the smallest room height must be taken into account.*

Fitting

- *Installation by qualified fitter only.*
- *Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.*
- *Qualified fitter must use appropriate screws / fixings for each situation.*
- *Profile lip if applicable to be installed to room side.*

Child Safety

- *All relevant Silent Gliss systems correspond to child safety EN 13120.*
- *All parties involved must comply with EN 13120.*

APPLICATION CHART

PAGE	SYSTEM	OPERATION	DIMENSION	DESIGN	WAVE	kg max.
5	**SG 1011**		S			
9	**SG 1012**		S			
13	**SG 1015**		S			
19	**SG 1020**		S			10 kg
23	**SG 1032**		S			
27	**SG 1060**		S			
31	**SG 1070**		S			
35	**SG 1080**		S			
43	**SG 3600**					10 kg
47	**SG 6010**		S - M			
55	**SG 6243**		S - M			
61	**SG 6250**		S - M			
67	**SG 6293**		M - L			
71	**SG 6380**		M - L			
79	**SG 6465**		S - M			
85	**SG 6475**		S - M			

PAGE	SYSTEM	OPERATION	DIMENSION	DESIGN	WAVE	kg max.
91	**SG 6815**		S - M			
99	**SG 6820**		S - M			10 kg
105	**SG 6840**		M - L			
115	**SG 6870**		M - L			
125	**SG 6970**		M - L			

SG 1011



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S*
- ***Fitting:*** *recess (center SG 7550)*
- ***Colours:*** *white RAL 9016 or anodised aluminum, special colours possible*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *Pre-drilled profile*
- *Bendable*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 1011p

Profile

Radius:
6 cm, 10 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



Profile Protector



A: Profile Protector SG 7002
B: Special screw SG 3019 / 12 mm
C: Special screw SG 3025 / 18 mm

B. RECESS FITTING

Direct into wood



Recess channel: 6 x 9 mm

PARTS

A. STANDARD PARTS



SG 1011p
Profile



SG 3019
Special screw 12 mm

SG 3070
End stop



SG 3085
Spring stop

SG 3533
Glider

SG 3599
Hook

B. OPTIONAL PARTS

SG 3012
Hook



SG 3025
Special screw 18 mm



SG 3063
Connection bridge



SG 3511
Glider

SG 3534
Glider 3533 on strip

SG 3535
Glider

SG 3537
Glider



SG 3547
Glider



SG 3548
Glider

SG 3549
Click glider with hook

SG 3582
Hook



SG 3598
Eyelet



SG 7002
Profile protector



SG 10430
Draw rod 50 cm



SG 10431
Draw rod 75 cm



SG 10432
Draw rod 100 cm



SG 10433
Draw rod 125 cm



SG 10434
Draw rod 150 cm



SG 11335
End stop

SG 1012



PRODUCT INFORMATION

- ***Operation**: hand*
- ***Range:** S*
- ***Fitting:** ceiling (center SG 7550)*
- ***Colours:** white RAL 9016 or anodised aluminum, special colours possible*
- ***Fabrics:** refer to Silent Gliss fabric collection*

Features:

- *Pre-drilled profile*
- *Bendable*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 1012p

Profile

Radius:
6 cm, 10 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



Profile Protector



A: Profile Protector SG 7002
B: Special Screw SG 3019 / 12 mm
C: Special Screw SG 3025 / 18 mm

B. CEILING FITTING

Direct into wood



Bracket SG 3112





SG 3112

Bracket

Bracket SG 3121



SG 3121

Bracket

PARTS

A. STANDARD PARTS

SG 1012p
Profile



SG 3019
Special screw 12 mm

SG 3070
End stop



SG 3085
Spring stop

SG 3533
Glider

B. OPTIONAL PARTS



SG 3025
Special screw 18 mm

SG 3032
Spring stop



SG 3064
Connecting bridge



SG 3112
Bracket



SG 3512
End cover

SG 3534
Glider 3533 on strip

SG 3535
Glider

SG 3537
Glider



SG 3548
Glider

SG 3582
Hook



SG 7002
Profile protector



SG 10430
Draw rod 50 cm



SG 10431
Draw rod 75 cm

SG 10432
Draw rod 100 cm



SG 10433
Draw rod 125 cm



SG 10434
Draw rod 150 cm



SG 11335
End stop

SG 1015



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016 or anodised aluminum, special colours possible*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *Bendable*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 1003p

Profile

Radius:
15 cm, 20 cm, >25 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING



Mini hanger SG 6175



Bracket SG 6124



SG 6175

Mini hanger



SG 6124

Bracket

C. WALL FITTING

Smart Fix



Smart Fix with slot SG 11206 - SG 11208:
Screw SG 10492 (M4x8) needed.

Smart Fix	*X mm*
SG 11206 / SG 11216	*33-51*
SG 11207 / SG 11217	*53-71*
SG 11208 / SG 11218	*73-91*
SG 11154	*102-130*
SG 11155	*132-160*
SG 11156	*182-210*



Square Smart Fix with slot SG 11216 - SG 11218:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156:
Screw SG 11131 (M4x6) needed.



SG 6117

Slot nut

SG 10492

Pan head screw M4x8

SG 11131

Pan head screw with flange M4x6



SG 11206

Smart Fix with slot 60 mm



SG 11207

Smart Fix with slot 80 mm



SG 11208

Smart Fix with slot 100 mm



SG 11216

Square Smart Fix with slot 60 mm



SG 11217

Square Smart Fix with slot 80 mm



SG 11218

Square Smart Fix with slot 100 mm



SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm

PARTS

A. STANDARD PARTS

SG 1003p
Profile



SG 3014
End cover

SG 3070
End stop

SG 3085
Spring stop

SG 3533
Glider



SG 6175
Mini hanger

B. OPTIONAL PARTS

SG 3534
Glider 3533 on strip

SG 3582
Hook



SG 6117
Slot nut



SG 6124
Bracket



SG 6173
Connection bridge



SG 10430
Draw rod 50 cm



SG 10431
Draw rod 75 cm



SG 10432
Draw rod 100 cm



SG 10433
Draw rod 125 cm



SG 10434
Draw rod 150 cm



SG 10492
Pan head screw M4x8



SG 11131
Pan head screw with flange M4x6



SG 11154
Universal Smart Fix 120 mm



SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm



SG 11206
Smart Fix with slot 60 mm



SG 11207
Smart Fix with slot 80 mm



SG 11208
Smart Fix with slot 100 mm



SG 11216
Square Smart Fix with slot 60 mm



SG 11217
Square Smart Fix with slot 80 mm



SG 11218
Square Smart Fix with slot 100 mm



SG 11335
End stop

SG 1020



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S*
- ***Fitting:*** *ceiling*
- ***Colours****: white RAL 9016 or anodised aluminum, special colours possible*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *Symmetrical funnel design*
- *Bendable*

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS

kg max.

10 kg

B. PROFILE

Profile and bending information



SG 6822

Profile Funnel

Radius: >27 cm

C. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



Fitting Tool



A: Funnel fitting tool SG 6827

For fitting / removing of the funnel profile.

B. CEILING FITTING

Clip SG 11236





SG 11236

Clip

PARTS

A. STANDARD PARTS

SG 3070

End stop

SG 3085

Spring stop

SG 3533

Glider

SG 6822

Profile Funnel

SG 6824

End cover



SG 11236

Clip

B. OPTIONAL PARTS

SG 3062

Connection bridge

SG 3534

Glider 3533 on strip

SG 3555

Hook

SG 3582

Hook



SG 10430

Draw rod 50 cm



SG 10431

Draw rod 75 cm



SG 10432

Draw rod 100 cm



SG 10433

Draw rod 125 cm



SG 10434

Draw rod 150 cm



SG 11335

End stop

SG 1032



PRODUCT INFORMATION

- ***Operation**: hand*
- ***Range**: S*
- ***Fitting:** ceiling*
- ***Colours:** white RAL 9016 or anodised aluminum, special colours possible*
- ***Fabrics:** refer to Silent Gliss fabric collection*

Features:

- *Pre-drilled two channel profile*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile information



SG 1032p
Profile

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Direct fitting



PARTS

A. STANDARD PARTS

SG 1032p
Profile

SG 3070
End stop

SG 3085
Spring stop

SG 3533
Glider

SG 3599
Hook

B. OPTIONAL PARTS

SG 3012
Hook



SG 3177
Corner connector

SG 3511
Glider

SG 3534
Glider 3533 on strip

SG 3535
Glider

SG 3537
Glider



SG 3547
Glider



SG 3548
Glider

SG 3549
Click glider with hook

SG 3582
Hook



SG 3598
Eyelet



SG 6173
Connection bridge



SG 10430
Draw rod 50 cm



SG 10431
Draw rod 75 cm



SG 10432
Draw rod 100 cm



SG 10433
Draw rod 125 cm



SG 10434
Draw rod 150 cm



SG 11335
End stop

SG 1060



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S*
- ***Fitting:*** *ceiling*
- ***Colours:*** *white RAL 9016 or anodised aluminum, special colours possible*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *Bendable*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 1060p

Profile

Radius:
6 cm, 10 cm, 12 cm, 20 cm, >30 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Clamp SG 3060





SG 3060

Clamp

PARTS

A. STANDARD PARTS

SG 1060p
Profile



SG 3060
Clamp



SG 3061
End cover

SG 3070
End stop



SG 3085
Spring stop

SG 3533
Glider

B. OPTIONAL PARTS



SG 3062
Connection bridge

SG 3534
Glider 3533 on strip

SG 3582
Hook



SG 10430
Draw rod 50 cm



SG 10431
Draw rod 75 cm



SG 10432
Draw rod 100 cm



SG 10433
Draw rod 125 cm



SG 10434
Draw rod 150 cm



SG 11335
End stop

SG 1070



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S*
- ***Fitting:*** *ceiling*
- ***Colours:*** *white RAL 9016 or anodised aluminum, special colours possible*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *Bendable*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 1071

Profile

Radius:
8 cm, 12 cm, 16 cm, >25 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Clamp SG 3060





SG 3060

Clamp

PARTS

A. STANDARD PARTS



SG 1071
Profile



SG 1072
End cover



SG 3060
Clamp

SG 3070
End stop

SG 3085
Spring stop

SG 3533
Glider

B. OPTIONAL PARTS

SG 3062
Connection bridge

SG 3534
Glider 3533 on strip

SG 3582
Hook



SG 10430
Draw rod 50 cm



SG 10431
Draw rod 75 cm



SG 10432
Draw rod 100 cm



SG 10433
Draw rod 125 cm



SG 10434
Draw rod 150 cm



SG 11335
End stop

SG 1080



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S*
- ***Fitting:*** *ceiling, wall, suspended*
- ***Colours:*** *white RAL 9016, black RAL 9005 or anodised aluminum, special colours possible*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *Bendable*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 1080p

Profile

Radius:
6 cm, 10 cm, >30 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Bracket SG 3603





SG 3603
Bracket

C. WALL FITTING

Smart Fix



Smart Fix SG 11200 - SG 11205 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.



Square Smart Fix SG 11210 - SG 11215 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3603:
Screw SG 10277 (M4x12) needed.

Smart Fix	*X mm*
SG 11200 / SG 11210	*70*
SG 11201 / SG 11211	*90*
SG 11202 / SG 11212	*110*
SG 11203 / SG 11213	*130*
SG 11204 / SG 11214	*160*
SG 11205 / SG 11215	*210*
SG 11154	*120-148*
SG 11155	*150-178*
SG 11156	*200-228*



SG 3603
Bracket

SG 10492
Pan head screw M4x8

SG 10277
Pan head screw M4x12



SG 11200
Smart Fix 60 mm



SG 11201
Smart Fix 80 mm



SG 11202
Smart Fix 100 mm



SG 11203
Smart Fix 120 mm



SG 11204
Smart Fix 150 mm



SG 11205

Smart Fix 200 mm



SG 11210

Square Smart Fix 60 mm



SG 11211

Square Smart Fix 80 mm



SG 11212

Square Smart Fix 100 mm



SG 11213

Square Smart Fix 120 mm



SG 11214

Square Smart Fix 150 mm



SG 11215

Square Smart Fix 200 mm



SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm

Universal brackets SG 3630, SG 3655, SG 3660



Bracket	*X mm*
SG 3630	*33*
SG 3655	*48*
SG 3660	*63*



SG 3630

Bracket 35 mm



SG 3655

Bracket 50 mm



SG 3660

Bracket 65 mm

D. SUSPENDED FITTING

Hanger SG 3639 / SG 3610 & wall support SG 3602





SG 3602

Wall support



SG 3639

Hanger



SG 3610

Hanger

PARTS

A. STANDARD PARTS

SG 1080p
Profile

SG 3070
End stop

SG 3085
Spring stop

SG 3533
Glider



SG 3603
Bracket



SG 3605
End cover

B. OPTIONAL PARTS

SG 3534
Glider 3533 on strip

SG 3555
Hook

SG 3582
Hook



SG 3602
Wall support



SG 3604
Corner connctor

SG 3610
Hanger



SG 3618
Wall bracket



SG 3620
Connection bridge



SG 3630
Bracket 35 mm

SG 3639
Hanger



SG 3655
Bracket 50 mm



SG 3660
Bracket 65 mm



SG 10277
Pan head screw M4x12



SG 10430
Draw rod 50 cm



SG 10431
Draw rod 75 cm



SG 10432
Draw rod 100 cm



SG 10433
Draw rod 125 cm



SG 10434
Draw rod 150 cm



SG 10492
Pan head screw M4x8



SG 11154
Universal Smart Fix 120 mm



SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm



SG 11200
Smart Fix 60 mm



SG 11201
Smart Fix 80 mm



SG 11202
Smart Fix 100 mm



SG 11203
Smart Fix 120 mm



SG 11204
Smart Fix 150 mm



SG 11205
Smart Fix 200 mm



SG 11210

Square Smart Fix 60 mm



SG 11211

Square Smart Fix 80 mm



SG 11212

Square Smart Fix 100 mm



SG 11213

Square Smart Fix 120 mm



SG 11214

Square Smart Fix 150 mm



SG 11215

Square Smart Fix 200 mm



SG 11335

End stop

SG 3600



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Fitting:*** *wall*
- ***Colours:*** *white RAL 9016 or anodised aluminum, special colours possible*

Features:

- *Picture hanging system*
- *Adjustable height*

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS

10 kg
(Total picture weight)

B. PROFILE

Profile and bending information



SG 1080p
Profile

C. HOW TO MEASURE



A: System width

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing Points



B. WALL FITTING

Bracket SG 3606





SG 3606

Clip

C. HANGING UP OF PICTURE

Set SG 3665



Click-in hooks SG 3663

Parts:
- SG 3634 Height adjuster
- SG 3637 Cord ø 1.5 mm
- SG 3663 Hook



Pictrue height is adjusted by turning plastic screw.

PARTS

A. STANDARD PARTS

SG 1080p

Profile



SG 3605

End cover

SG 3606

Clip

SG 3665

Picture hanging set

B. OPTIONAL PARTS



SG 3604

Corner connctor



SG 3657

Connection bridge

SG 6010



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S - M*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016, black RAL 9005 or anodised aluminum, special colours possible*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Bendable*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 6010p

Profile

Radius:
15 cm, >25 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Clamp SG 3825





SG 3825

Clamp

Bracket SG 3832





SG 3832

Bracket

C. WALL FITTING

Smart Fix



Smart Fix SG 11200 - SG 11205 and bracket SG 3832:
Screw SG 10492 (M4x8) needed.



Square Smart Fix SG 11210 - SG 11215 and bracket SG 3832:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3832:
Screw SG 10407 (M4x10) needed.

Smart Fix	*X mm (SG 3832)*	*X mm (SG 3825)*
SG 11200 / SG 11210	*70*	*52*
SG 11201 / SG 11211	*90*	*72*
SG 11202 / SG 11212	*110*	*92*
SG 11203 / SG 11213	*130*	*112*
SG 11204 / SG 11214	*160*	*142*
SG 11205 / SG 11215	*210*	*192*
SG 11154	*120-148*	*102-130*
SG 11155	*150-178*	*132-160*
SG 11156	*200-228*	*182-210*



Smart Fix SG 11200 - SG 11205 and clamp SG 3825:
Screw SG 10074 (M4x8) needed.



Square Smart Fix SG 11210 - SG 11215 and clamp SG 3825:
Screw SG 10074 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and clamp SG 3825:
Screw SG 11158 (M4x12) needed.



SG 3825
Clamp



SG 3832
Bracket

SG 10407
Pan head screw M4x10

SG 10492
Pan head screw M4x8

SG 11158
Countersunk head screw M4x12



SG 11200
Smart Fix 60 mm



SG 11201
Smart Fix 80 mm



SG 11202
Smart Fix 100 mm



SG 11203
Smart Fix 120 mm



SG 11204
Smart Fix 150 mm



SG 11205
Smart Fix 200 mm



SG 11210
Square Smart Fix 60 mm



SG 11211
Square Smart Fix 80 mm



SG 11212
Square Smart Fix 100 mm



SG 11213
Square Smart Fix 120 mm



SG 11214
Square Smart Fix 150 mm



SG 11215
Square Smart Fix 200 mm



SG 11154
Universal Smart Fix 120 mm



SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm

SYSTEM OPTIONS

A. WAVE





SG 11295 SG 11302

Standard components:
- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



SG 2255 SG 2256 SG 6364 SG 6365



SG 6366 SG 10430-34 SG 11303

Optional components (min. radius: >25 cm):
- *SG 2255 Brake*
- *SG 2256 Brake*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*



Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weight*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm SG 6364 increases by 150 mm per curtain stack!*

PARTS

A. STANDARD PARTS

SG 3825
Clamp



SG 6010p
Profile



SG 6018
End cover

SG 6065
End stop



SG 6086
Spring stop

SG 11300
2C glider

B. OPTIONAL PARTS



SG 2255
Brake



SG 2256
Brake

SG 3582
Hook

SG 3802
Connection bridge



SG 3832
Bracket

SG 6053
Spring stop

SG 6098
Roller

SG 6283
Roller

SG 6349
Wave curtain tape

SG 6363
Wave top hemming tape



SG 6364
Wave extension



SG 6365
Wave hanger



SG 6366
Wave carrier for draw rod

SG 10075
Lead weight 50 g/m



SG 10076
Fabric weight

SG 10407
Pan head screw M4x10



SG 10430
Draw rod 50 cm



SG 10431
Draw rod 75 cm



SG 10432
Draw rod 100 cm



SG 10433
Draw rod 125 cm



SG 10434
Draw rod 150 cm

SG 10492
Pan head screw M4x8



SG 11154
Universal Smart Fix 120 mm



SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm



SG 11200
Smart Fix 60 mm



SG 11201
Smart Fix 80 mm



SG 11202
Smart Fix 100 mm



SG 11203

Smart Fix 120 mm



SG 11204

Smart Fix 150 mm



SG 11205

Smart Fix 200 mm



SG 11210

Square Smart Fix 60 mm



SG 11211

Square Smart Fix 80 mm



SG 11212

Square Smart Fix 100 mm



SG 11213

Square Smart Fix 120 mm



SG 11214

Square Smart Fix 150 mm



SG 11215

Square Smart Fix 200 mm



SG 11295

End stop

SG 11301

2C glider on strip



SG 11302

Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm



SG 11305

2C glider for direct sewing

SG 6243



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S - M*
- ***Fitting:*** *recess*
- ***Colours:*** *white RAL 9016 or anodised aluminum, special colours possible*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Bendable*
- *Pre-drilled profile*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 6243p

Profile

Radius:
20 cm, >25 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. RECESS FITTING

Direct into wood



Recess channel: 11 x 14 mm

SYSTEM OPTIONS

A. WAVE





SG 11295 SG 11302

Standard components:

- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



SG 2255 SG 2256 SG 6364 SG 6365

SG 6366 SG 10430-34 SG 11303

Optional components (min. radius >25 cm):

- *SG 2255 Brake*
- *SG 2256 Brake*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*



SG 3582 SG 6349 SG 6363

SG 10075 SG 10076

Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weight*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm SG 6364 increases by 150 mm per curtain!*

PARTS

A. STANDARD PARTS

	SG 6065 *End stop*
	**SG 6086** *Spring stop*
	SG 6243p *Profile*
	SG 10717 *Countersunk head screw 2.2x19*
	SG 11300 *2C glider*

B. OPTIONAL PARTS

	**SG 2255** *Brake*
	**SG 2256** *Brake*
	SG 3012 *Hook*
	SG 3020 *Hook*
	**SG 3067** *Connection bridge*
	**SG 3581** *Hook*
	SG 3582 *Hook*
	**SG 3598** *Eyelet*
	SG 6053 *Spring stop*
	SG 6057 *Glider*
	SG 6064 *End stop*
	**SG 6082** *Glider*
	SG 6094 *Roller*
	SG 6098 *Roller*
	SG 6240 *Roller*
	SG 6283 *Roller*
	SG 6349 *Wave curtain tape*
	SG 6363 *Wave top hemming tape*
	**SG 6364** *Wave extension*
	**SG 6365** *Wave hanger*
	**SG 6366** *Wave carrier for draw rod*
	**SG 7002** *Profile protector*
	SG 10075 *Lead weight 50 g/m*
	**SG 10076** *Fabric weight*
	**SG 10430** *Draw rod 50 cm*
	**SG 10431** *Draw rod 75 cm*
	**SG 10432** *Draw rod 100 cm*
	**SG 10433** *Draw rod 125 cm*



SG 10434

Draw rod 150 cm



SG 11295

End stop

SG 11301

2C glider on strip



SG 11302

Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm



SG 11305

2C glider for direct sewing

SG 6250



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S - M*
- ***Fitting:*** *recess*
- ***Colours:*** *white RAL 9016*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Bendable*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 11220

Profile with cover

Radius:
10 cm, 20 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website, login section.

B. RECESS FITTING



Adhesive assembly exclusively on raw concrete.

SYSTEM OPTIONS

A. WAVE



SG 11295



SG 11302

Standard components:

- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



SG 11303

Optional components:

- *SG 11303 Wave 2C glider cord 60 mm*

SG 3582



SG 6349



SG 6363

SG 10075



SG 10076

Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weight*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

PARTS

A. STANDARD PARTS

SG 6065

End stop



SG 6245

Spring stop



SG 11220

Profile with cover

SG 11300

2C glider

B. OPTIONAL PARTS

SG 3582

Hook

SG 6349

Wave curtain tape

SG 6363

Wave top hemming tape



SG 10075

Lead weight 50 g/m



SG 10076

Fabric weight



SG 11222

Connector



SG 11295

End stop

SG 11301

2C glider on strip



SG 11302

Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm

SG 6293



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *M - L*
- ***Fitting:*** *ceiling*
- ***Colours:*** *white RAL 9016 or anodised aluminum, special colours possible*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Pre-drilled profile*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile information



SG 6293p

Profile

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Direct fitting



PARTS

A. STANDARD PARTS

SG 6065
End stop



SG 6086
Spring stop

SG 6293p
Profile

SG 11300
2C glider

B. OPTIONAL PARTS

SG 6053
Spring stop

SG 6094
Roller

SG 6098
Roller



SG 6269
Connection bridge

SG 6283
Roller



SG 10430
Draw rod 50 cm



SG 10431
Draw rod 75 cm



SG 10432
Draw rod 100 cm



SG 10433
Draw rod 125 cm



SG 10434
Draw rod 150 cm



SG 11295
End stop

SG 11301
2C glider on strip

SG 6380



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *M - L*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016 or anodised aluminum, special colours possible*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Bendable*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 6380p

Profile

Radius:
10 cm, >25 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Bracket SG 3603





SG 3603
Bracket

C. WALL FITTING

Smart Fix



Smart Fix SG 11200 - SG 11205 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.

Smart Fix	*X mm*
SG 11200 / SG 11210	*72*
SG 11201 / SG 11211	*92*
SG 11202 / SG 11212	*112*
SG 11203 / SG 11213	*132*
SG 11204 / SG 11214	*162*
SG 11205 / SG 11215	*212*
SG 11154	*122-150*
SG 11155	*152-180*
SG 11156	*202-230*



Square Smart Fix SG 11210 - SG 11215 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3603:
Screw SG 10277 (M4x12) needed.



SG 3603
Bracket

SG 10277
Pan head screw M4x12

SG 10492
Pan head screw M4x8



SG 11200
Smart Fix 60 mm



SG 11201
Smart Fix 80 mm



SG 11202
Smart Fix 100 mm



SG 11203
Smart Fix 120 mm



SG 11204
Smart Fix 150 mm



SG 11205

Smart Fix 200 mm



SG 11210

Square Smart Fix 60 mm



SG 11211

Square Smart Fix 80 mm



SG 11212

Square Smart Fix 100 mm



SG 11213

Square Smart Fix 120 mm



SG 11214

Square Smart Fix 150 mm



SG 11215

Square Smart Fix 200 mm



SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm

Universal Brackets SG 3630, SG 3655, SG 3660



Bracket	***X mm***
SG 3630	*35*
SG 3655	*50*
SG 3660	*65*



SG 3630

Bracket 35 mm



SG 3655

Bracket 50 mm



SG 3660

Bracket 65 mm

SYSTEM OPTIONS

A. WAVE





SG 11295 SG 11302

Standard components:

- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



SG 2255 SG 2256 SG 6364 SG 6365

SG 6366 SG 10430-34 SG 11303

Optional components (min. radius >25 cm):

- *SG 2255 Brake*
- *SG 2256 Brake*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*



SG 3582 SG 6349 SG 6363

SG 10075 SG 10076

Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weight*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm SG 6364 increases by 150 mm per curtain stack!*

PARTS

A. STANDARD PARTS

	**SG 3603** *Bracket*
	SG 6065 *End stop*
	**SG 6086** *Spring stop*
	**SG 6380p** *Profile*
	**SG 6381** *End cover*
	SG 11300 *2C glider*

B. OPTIONAL PARTS

	**SG 2255** *Brake*
	**SG 2256** *Brake*
	SG 3555 *Hook*
	SG 3582 *Hook*
	**SG 3618** *Wall bracket*
	**SG 3620** *Connection bridge*
	**SG 3630** *Bracket 35 mm*
	**SG 3655** *Bracket 50 mm*
	**SG 3660** *Bracket 65 mm*
	SG 6053 *Spring stop*
	SG 6094 *Roller*
	SG 6098 *Roller*
	SG 6283 *Roller*
	SG 6349 *Wave curtain tape*
	SG 6363 *Wave top hemming tape*
	**SG 6364** *Wave extension*
	**SG 6365** *Wave hanger*
	**SG 6366** *Wave carrier for draw rod*
	**SG 10075** *Lead weight 50 g/m*
	**SG 10076** *Fabric weight*
	**SG 10277** *Pan head screw M4x12*
	**SG 10430** *Draw rod 50 cm*
	**SG 10431** *Draw rod 75 cm*
	**SG 10432** *Draw rod 100 cm*
	**SG 10433** *Draw rod 125 cm*
	**SG 10434** *Draw rod 150 cm*
	**SG 10492** *Pan head screw M4x8*
	**SG 11154** *Universal Smart Fix 120 mm*



SG 11155

Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm



SG 11200

Smart Fix 60 mm



SG 11201

Smart Fix 80 mm



SG 11202

Smart Fix 100 mm



SG 11203

Smart Fix 120 mm



SG 11204

Smart Fix 150 mm



SG 11205

Smart Fix 200 mm



SG 11210

Square Smart Fix 60 mm



SG 11211

Square Smart Fix 80 mm



SG 11212

Square Smart Fix 100 mm



SG 11213

Square Smart Fix 120 mm



SG 11214

Square Smart Fix 150 mm



SG 11215

Square Smart Fix 200 mm



SG 11295

End stop

SG 11301

2C glider on strip



SG 11302

Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm

SG 6465



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S - M*
- ***Fitting:*** *ceiling, recess*
- ***Colours:*** *white RAL 9016, black RAL 9005 or anodised aluminum, special colours possible (recess profile only in white RAL 9016, black RAL 9005 or special color)*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Bendable*
- *Bendable recess profile*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 6466

Profile

Radius:
8 cm, 12 cm, 16 cm, >25 cm



SG 11231

Recess profile

Radius:
>27 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Clamp SG 3060





SG 3060

Clamp

C. RECESS FITTING

Recess profile
SG 11231



One wedge SG 11237 per fixing point.
For detailed recess fitting, visit the Silent Gliss website.



SG 11231

Recess profile



SG 11239

Recess Mask



SG 11237

Wedge

SYSTEM OPTIONS

A. WAVE



SG 11295



SG 11302

Standard components:

- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



Optional components (min. radius >25 cm):

- *SG 2255 Brake*
- *SG 2256 Brake*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*



Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weight*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension SG 6364 arm increases by 150 mm per curtain stack!*

PARTS

A. STANDARD PARTS



SG 3060
Clamp

SG 6065
End stop



SG 6245
Spring stop



SG 6466
Profile



SG 6471
End cover



SG 11300
2C glider

B. OPTIONAL PARTS



SG 2255
Brake



SG 2256
Brake



SG 3062
Connection bridge

SG 3582
Hook

SG 6349
Wave curtain tape

SG 6363
Wave top hemming tape



SG 6364
Wave extension



SG 6365
Wave hanger



SG 6366
Wave carrier for draw rod

SG 10075
Lead weight 50 g/m



SG 10076
Fabric weight



SG 10430
Draw rod 50 cm



SG 10431
Draw rod 75 cm



SG 10432
Draw rod 100 cm



SG 10433
Draw rod 125 cm



SG 10434
Draw rod 150 cm



SG 11231
Recess profile



SG 11237
Wedge



SG 11239
Recess Mask



SG 11295
End stop

SG 11301
2C glider on strip



SG 11302
Wave 2C glider cord 80 mm



SG 11303
Wave 2C glider cord 60 mm

SG 6475

PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S - M*
- ***Fitting:*** *ceiling*
- ***Colours:*** *white RAL 9016 or anodised aluminum, special colours possible*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Bendable*

SYSTEM SPECIFICATION

A. PROFILE

Profile and bending information



SG 6475p

Profile

Radius:
8 cm, 12 cm, 16 cm, >25 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Clamp SG 3060





SG 3060

Clamp

SYSTEM OPTIONS

A. WAVE





SG 11295 SG 11302

Standard components:

- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



SG 2255 SG 2256 SG 6364 SG 6365

SG 6366 SG 10430-34 SG 11303

Optional components (min. radius >25 cm):

- *SG 2255 Brake*
- *SG 2256 Brake*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*



SG 3582 SG 6349 SG 6363

SG 10075 SG 10076

Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weight*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm SG 6364 increases by 150 mm per curtain stack!*

PARTS

A. STANDARD PARTS



SG 3060
Clamp

SG 6065
End stop



SG 6245
Spring stop



SG 6475p
Profile



SG 6476
End cover

SG 11300
2C glider

B. OPTIONAL PARTS



SG 2255
Brake



SG 2256
Brake



SG 3062
Connection bridge

SG 3582
Hook

SG 6349
Wave curtain tape

SG 6363
Wave top hemming tape



SG 6364
Wave extension



SG 6365
Wave hanger



SG 6366
Wave carrier for draw rod

SG 10075
Lead weight 50 g/m



SG 10076
Fabric weight



SG 10430
Draw rod 50 cm



SG 10431
Draw rod 75 cm



SG 10432
Draw rod 100 cm



SG 10433
Draw rod 125 cm



SG 10434
Draw rod 150 cm



SG 11295
End stop

SG 11301
2C glider on strip



SG 11302
Wave 2C glider cord 80 mm



SG 11303
Wave 2C glider cord 60 mm

SG 6815



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S - M*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016 or anodised aluminum, special colours possible*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Bendable*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 6103p

Profile

Radius: >25 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING



Mini hanger SG 6175



Bracket SG 6124



SG 6175
Mini hanger



SG 6124
Bracket

C. WALL FITTING

Smart Fix



Smart Fix with slot SG 11206 - SG 11208:
Screw SG 10492 (M4x8) needed.

Smart Fix	*X mm*
SG 11206 / SG 11216	*33-51*
SG 11207 / SG 11217	*53-71*
SG 11208 / SG 11218	*73-91*
SG 11154	*102-130*
SG 11155	*132-160*
SG 11156	*182-210*



Square Smart Fix with slot SG 11216 - SG 11218:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156:
Screw SG 11131 (M4x6) needed.



SG 6117

Slot nut

SG 10492

Pan head screw M4x8

SG 11131

Pan head screw with flange M4x6



SG 11206

Smart Fix with slot 60 mm



SG 11207

Smart Fix with slot 80 mm



SG 11208

Smart Fix with slot 100 mm



SG 11216

Square Smart Fix with slot 60 mm



SG 11217

Square Smart Fix with slot 80 mm



SG 11218

Square Smart Fix with slot 100 mm



SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm

SYSTEM OPTIONS

A. WAVE



SG 11295



SG 11302

Standard components:

- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



Optional components:

- *SG 2255 Brake*
- *SG 2256 Brake*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*



Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weight*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm SG 6364 increases by 150 mm per curtain stack!*

PARTS

A. STANDARD PARTS

SG 6065
End stop



SG 6086
Spring stop

SG 6103p
Profile



SG 6175
Mini hanger



SG 6630
End cover

SG 11300
2C glider

B. OPTIONAL PARTS



SG 2255
Brake



SG 2256
Brake

SG 3582
Hook

SG 6053
Spring stop

SG 6094
Roller

SG 6098
Roller



SG 6117
Slot nut



SG 6124
Bracket

SG 6283
Roller



SG 6349
Wave curtain tape

SG 6363
Wave top hemming tape



SG 6364
Wave extension



SG 6365
Wave hanger



SG 6366
Wave carrier for draw rod



SG 6635
Connection bridge set

SG 10075
Lead weight 50 g/m



SG 10076
Fabric weight



SG 10430
Draw rod 50 cm

SG 10431
Draw rod 75 cm



SG 10432
Draw rod 100 cm

SG 10433
Draw rod 125 cm



SG 10434
Draw rod 150 cm



SG 10492
Pan head screw M4x8



SG 11131
Pan head screw with flange M4x6



SG 11154
Universal Smart Fix 120 mm



SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm



SG 11206
Smart Fix with slot 60 mm



SG 11207

Smart Fix with slot 80 mm



SG 11208

Smart Fix with slot 100 mm



SG 11216

Square Smart Fix with slot 60 mm



SG 11217

Square Smart Fix with slot 80 mm



SG 11218

Square Smart Fix with slot 100 mm



SG 11295

End stop

SG 11301

2C glider on strip



SG 11302

Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm

SG 6820



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S - M*
- ***Fitting:*** *ceiling*
- ***Colours:*** *white RAL 9016 or anodised aluminum, special colours possible*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Symmetrical funnel design*
- *Bendable*

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS

kg max.

10 kg

B. PROFILE

Profile and bending information



SG 6821

Profile Funnel

Radius: >27 cm

C. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



Fitting Tool



A: Funnel fitting tool SG 6827

For fitting / removing of the funnel profile.

B. CEILING FITTING

Clip SG 11236





SG 11236
Clip

SYSTEM OPTIONS

A. WAVE





SG 11295 SG 11302

Standard components:
- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



Optional components:

- *SG 2255 Brake*
- *SG 2256 Brake*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*



Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave iron tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weight*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm SG 6364 increases by 150 mm per curtain stack!*

PARTS

A. STANDARD PARTS

SG 6065
End stop



SG 6086
Spring stop

SG 6821
Profile Funnel

SG 6823
End cover



SG 11236
Clip



SG 11300
2C glider

B. OPTIONAL PARTS



SG 2255
Brake



SG 2256
Brake

SG 3582
Hook

SG 3802
Connection bridge

SG 6053
Spring stop

SG 6094
Roller

SG 6098
Roller

SG 6283
Roller

SG 6349
Wave curtain tape

SG 6363
Wave top hemming tape



SG 6364
Wave extension



SG 6365
Wave hanger



SG 6366
Wave carrier for draw rod

SG 10075
Lead weight 50 g/m



SG 10076
Fabric weight



SG 10430
Draw rod 50 cm



SG 10431
Draw rod 75 cm



SG 10432
Draw rod 100 cm

SG 10433
Draw rod 125 cm



SG 10434
Draw rod 150 cm



SG 11295
End stop

SG 11301
2C glider on strip



SG 11302
Wave 2C glider cord 80 mm



SG 11303
Wave 2C glider cord 60 mm

SG 6840



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *M - L*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016, black RAL 9005 or anodised aluminum, special colours possible*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Bendable*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 3841

Profile

Radius:
20 cm, >30 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Clamp SG 3825





SG 3825

Clamp

Bracket SG 3826





SG 3826

Bracket

Bracket SG 3832





SG 3832

Bracket

C. WALL FITTING

Smart Fix



Smart Fix SG 11200 - SG 11205 and bracket SG 3826:
Screw SG 10492 (M4x8) needed.

Smart Fix	*X mm (SG 3826 / SG 3825)*	*X mm (SG 3832)*
SG 11200 / SG 11210	*52*	*70*
SG 11201 / SG 11211	*72*	*90*
SG 11202 / SG 11212	*92*	*110*
SG 11203 / SG 11213	*112*	*130*
SG 11204 / SG 11214	*142*	*160*
SG 11205 / SG 11215	*192*	*210*
SG 11154	*102-130*	*120-148*
SG 11155	*132-160*	*150-178*
SG 11156	*182-210*	*200-228*



Square Smart Fix SG 11210 - SG 11215 and bracket SG 3826:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3826:
Screw SG 10277 (M4x12) needed.



Smart Fix SG 11200 - SG 11205 and bracket SG 3832:
Screw SG 10492 (M4x8) needed.



Square Smart Fix SG 11210 - SG 11215 and bracket SG 3832:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3832:
Screw SG 10407 (M4x10) needed.



Smart Fix SG 11200 - SG 11205 and clamp SG 3825:
Screw SG 10074 (M4x8) needed.



Square Smart Fix SG 11210 - SG 11215 and clamp SG 3825:
Screw SG 10074 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and clamp SG 3825:
Screw SG 11158 (M4x12) needed.



SG 3825
Clamp



SG 3826
Bracket



SG 3832
Bracket

SG 10074
Countersunk head screw M4x8

SG 10277
Pan head screw M4x12

SG 10407
Pan head screw M4x10

SG 10492
Pan head screw M4x8

SG 11158
Countersunk head screw M4x12



SG 11200
Smart Fix 60 mm



SG 11201
Smart Fix 80 mm



SG 11202
Smart Fix 100 mm



SG 11203
Smart Fix 120 mm



SG 11204

Smart Fix 150 mm



SG 11205

Smart Fix 200 mm



SG 11210

Square Smart Fix 60 mm



SG 11211

Square Smart Fix 80 mm



SG 11212

Square Smart Fix 100 mm



SG 11213

Square Smart Fix 120 mm



SG 11214

Square Smart Fix 150 mm



SG 11215

Square Smart Fix 200 mm



SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm

Bracket SG 3836





SG 3836

Bracket

SYSTEM OPTIONS

A. WAVE





SG 11295 SG 11302

Standard components:

- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



SG 2255 SG 2256 SG 6364 SG 6365



SG 6366 SG 10430-34 SG 11303

Optional components (min. Radius: >30 cm):

- *SG 2255 Brake*
- *SG 2256 Brake*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*



SG 3582 SG 6349 SG 6363



SG 10075 SG 10076

Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weight*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm SG 6364 increases by 150 mm per curtain stack!*

PARTS

A. STANDARD PARTS

	SG 3825 *Clamp*
	SG 3841 *Profile*
	SG 3842 *End cover*
	SG 6065 *End stop*
	**SG 6086** *Spring stop*
	SG 11300 *2C glider*

B. OPTIONAL PARTS

	**SG 2255** *Brake*
	**SG 2256** *Brake*
	SG 3582 *Hook*
	SG 3802 *Connection bridge*
	**SG 3826** *Bracket*
	**SG 3832** *Bracket*
	**SG 3836** *Bracket*
	SG 6053 *Spring stop*
	SG 6094 *Roller*
	SG 6098 *Roller*
	SG 6283 *Roller*
	SG 6349 *Wave curtain tape*
	SG 6363 *Wave top hemming tape*
	**SG 6364** *Wave extension*
	**SG 6365** *Wave hanger*
	**SG 6366** *Wave carrier for draw rod*
	**SG 10074** *Countersunk head screw M4x8*
	**SG 10075** *Lead weight 50 g/m*
	**SG 10076** *Fabric weight*
	**SG 10277** *Pan head screw M4x12*
	**SG 10407** *Pan head screw M4x10*
	**SG 10430** *Draw rod 50 cm*
	**SG 10431** *Draw rod 75 cm*
	**SG 10432** *Draw rod 100 cm*
	**SG 10433** *Draw rod 125 cm*
	**SG 10434** *Draw rod 150 cm*
	**SG 10492** *Pan head screw M4x8*
	**SG 11154** *Universal Smart Fix 120 mm*



SG 11155

Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm



SG 11158

Countersunk head screw M4x12



SG 11200

Smart Fix 60 mm



SG 11201

Smart Fix 80 mm



SG 11202

Smart Fix 100 mm



SG 11203

Smart Fix 120 mm



SG 11204

Smart Fix 150 mm



SG 11205

Smart Fix 200 mm



SG 11210

Square Smart Fix 60 mm



SG 11211

Square Smart Fix 80 mm



SG 11212

Square Smart Fix 100 mm



SG 11213

Square Smart Fix 120 mm



SG 11214

Square Smart Fix 150 mm



SG 11215

Square Smart Fix 200 mm



SG 11295

End stop

SG 11301

2C glider on strip



SG 11302

Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm

SG 6870



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *M - L*
- ***Fitting:*** *ceiling, wall, recess*
- ***Colours:*** *white RAL 9016, black RAL 9005 or anodised aluminum, special colours possible (recess profile only in white RAL 9016, black RAL 9005 or special color)*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Bendable*
- *Bendable recess profile*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 11190

Profile

Radius: >26 cm



SG 11230

Recess profile

Radius: >50 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Clamp SG 3825





SG 3825

Clamp

Bracket SG 3826





SG 3826

Bracket

Bracket SG 3832





SG 3832

Bracket

C. WALL FITTING

Smart Fix



Smart Fix SG 11200 - SG 11205 and bracket SG 3826:
Screw SG 10492 (M4x8) needed.

Smart Fix	*X mm (SG 3826 / SG 3825)*	*X mm (SG 3832)*
SG 11200 / SG 11210	*52*	*70*
SG 11201 / SG 11211	*72*	*90*
SG 11202 / SG 11212	*92*	*110*
SG 11203 / SG 11213	*112*	*130*
SG 11204 / SG 11214	*142*	*160*
SG 11205 / SG 11215	*192*	*210*
SG 11154	*102-130*	*120-148*
SG 11155	*132-160*	*150-178*
SG 11156	*182-210*	*200-228*



Square Smart Fix SG 11210 - SG 11215 and bracket SG 3826:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3826:
Screw SG 10277 (M4x12) needed.



Smart Fix SG 11200 - SG 11205 and bracket SG 3832:
Screw SG 10492 (M4x8) needed.



Square Smart Fix SG 11210 - SG 11215 and bracket SG 3832:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3832:
Screw SG 10407 (M4x10) needed.



Smart Fix SG 11200 - SG 11205 and clamp SG 3825:
Screw SG 10074 (M4x8) needed.



Square Smart Fix SG 11210 - SG 11215 and clamp SG 3825:
Screw SG 10074 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and clamp SG 3825:
Screw SG 11158 (M4x12) needed.



SG 3825
Clamp



SG 3826
Bracket



SG 3832
Bracket

SG 10074
Countersunk head screw M4x8

SG 10277
Pan head screw M4x12

SG 10407
Pan head screw M4x10

SG 10492
Pan head screw M4x8

SG 11158
Countersunk head screw M4x12



SG 11200
Smart Fix 60 mm



SG 11201
Smart Fix 80 mm



SG 11202
Smart Fix 100 mm



SG 11203
Smart Fix 120 mm



SG 11204
Smart Fix 150 mm



SG 11205
Smart Fix 200 mm



SG 11210
Square Smart Fix 60 mm



SG 11211
Square Smart Fix 80 mm



SG 11212
Square Smart Fix 100 mm



SG 11213
Square Smart Fix 120 mm



SG 11214
Square Smart Fix 150 mm



SG 11215
Square Smart Fix 200 mm



SG 11154
Universal Smart Fix 120 mm



SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm

Bracket SG 3836





SG 3836
Bracket

D. RECESS FITTING

Recess profile SG 11230



One wedge SG 10157 per fixing point.
For detailed recess fitting, visit the Silent Gliss website.



SG 11230
Recess profile



SG 11238
Recess Mask



SG 10157
Wedge

SYSTEM OPTIONS

A. WAVE



SG 11295



SG 11302

Standard components:
- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*

SG 2255

SG 2256



SG 6364

SG 6365



SG 6366



SG 10430-34



SG 11303

Optional components:
- *SG 2255 Brake*
- *SG 2256 Brake*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*

SG 3582



SG 6349



SG 6363

SG 10075



SG 10076

Curtain components:
- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weight*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm SG 6364 increases by 150 mm per curtain stack!*

PARTS

A. STANDARD PARTS

	SG 3825 *Clamp*
	SG 6065 *End stop*
	**SG 6086** *Spring stop*
	**SG 11190** *Profile*
	SG 11233 *End cover*
	**SG 11300** *2C glider*

B. OPTIONAL PARTS

	**SG 2255** *Brake*
	**SG 2256** *Brake*
	SG 3582 *Hook*
	SG 3802 *Connection bridge*
	**SG 3826** *Bracket*
	**SG 3832** *Bracket*
	**SG 3836** *Bracket*
	SG 6053 *Spring stop*
	SG 6094 *Roller*
	SG 6098 *Roller*
	SG 6283 *Roller*
	SG 6349 *Wave curtain tape*
	SG 6363 *Wave top hemming tape*
	**SG 6364** *Wave extension*
	**SG 6365** *Wave hanger*
	**SG 6366** *Wave carrier for draw rod*
	**SG 10074** *Countersunk head screw M4x8*
	**SG 10075** *Lead weight 50 g/m*
	**SG 10076** *Fabric weight*
	**SG 10157** *Wedge*
	**SG 10277** *Pan head screw M4x12*
	SG 10407 *Pan head screw M4x10*
	**SG 10430** *Draw rod 50 cm*
	**SG 10431** *Draw rod 75 cm*
	**SG 10432** *Draw rod 100 cm*
	**SG 10433** *Draw rod 125 cm*
	**SG 10434** *Draw rod 150 cm*
	**SG 10492** *Pan head screw M4x8*



SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm



SG 11158

Countersunk head screw M4x12



SG 11200

Smart Fix 60 mm



SG 11201

Smart Fix 80 mm



SG 11202

Smart Fix 100 mm



SG 11203

Smart Fix 120 mm



SG 11204

Smart Fix 150 mm



SG 11205

Smart Fix 200 mm



SG 11210

Square Smart Fix 60 mm



SG 11211

Square Smart Fix 80 mm



SG 11212

Square Smart Fix 100 mm



SG 11213

Square Smart Fix 120 mm



SG 11214

Square Smart Fix 150 mm



SG 11215

Square Smart Fix 200 mm



SG 11230

Recess profile



SG 11238

Recess Mask



SG 11295

End stop

SG 11301

2C glider on strip



SG 11302

Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm

SG 6970



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *M - L*
- ***Fitting:*** *ceiling, wall, recess*
- ***Colours:*** *white RAL 9016, black RAL 9005 or anodised aluminum, special colours possible (recess profile only in white RAL 9016, black RAL 9005 or special color)*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) roller technology*
- *Wave (2C)*
- *Bendable*
- *Bendable recess profile*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 10850

Profile

Radius:
>25 cm



SG 10862

Recess profile

Radius:
50 - 75 cm
>75 cm on request

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Clamp SG 3004



SG 3004

Clamp

Direct fitting





SG 7002

Profile protector



SG 10865

Support plate

Bracket SG 3041





SG 3041

Bracket

C. WALL FITTING

Smart Fix



Smart Fix SG 11200 - SG 11205 and bracket SG 3041:
Screw SG 10492 (M4x8) needed.



Square Smart Fix SG 11210 - SG 11215 and bracket SG 3041:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3041:
Screw SG 10407 (M4x10) needed.



Smart Fix SG 11201 - SG 11205 and clamp SG 3004:
Screw SG 10074 (M4x8) needed.



Square Smart Fix SG 11211 - SG 11215 and clamp SG 3004:
Screw SG 10074 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and clamp SG 3004:
Screw SG 11158 (M4x12) needed.

Smart Fix	*X mm (SG 3041)*	*X mm (SG 3004)*
SG 11200 / SG 11210	*83*	
SG 11201 / SG 11211	*103*	*72*
SG 11202 / SG 11212	*123*	*92*
SG 11203 / SG 11213	*143*	*112*
SG 11204 / SG 11214	*173*	*142*
SG 11205 / SG 11215	*223*	*192*
SG 11154	*128-156*	*102-130*
SG 11155	*158-186*	*132-160*
SG 11156	*208-236*	*182-210*

SG 3004

Clamp



SG 3041

Bracket

SG 10074

Countersunk head screw M4x8

SG 10407

Pan head screw M4x10

SG 10492

Pan head screw M4x8

SG 11158

Countersunk head screw M4x12



SG 11200

Smart Fix 60 mm



SG 11201

Smart Fix 80 mm



SG 11202

Smart Fix 100 mm



SG 11203

Smart Fix 120 mm



SG 11204

Smart Fix 150 mm



SG 11205

Smart Fix 200 mm



SG 11210

Square Smart Fix 60 mm



SG 11211

Square Smart Fix 80 mm



SG 11212

Square Smart Fix 100 mm



SG 11213

Square Smart Fix 120 mm



SG 11214

Square Smart Fix 150 mm



SG 11215

Square Smart Fix 200 mm



SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm

D. RECESS FITTING

Recess profile SG 10862



One wedge SG 5118 per fixing point.
For detailed recess fitting, visit the Silent Gliss website.



SG 10862
Recess profile



SG 10864
Recess mask



SG 5118
Wedge

E. SUSPENDED FITTING

Hanger SG 6105





SG 6105
Hanger with plate

V-hanger SG 6107





SG 6107

V-Hanger with plate

SYSTEM OPTIONS

A. WAVE



SG 11295



SG 10852

Standard components:

- *SG 11295 End stop*
- *SG 10852 Wave 2C roller cord 80 mm*



SG 10869

Optional components:

- *SG 10869 Wave 2C roller cord 60 mm*

SG 3582



SG 6349



SG 6363



SG 10075



SG 10076

Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weight*

Wave stack depth - 2C roller cord (standard compenents)



A = Stack depth
B = Stack size
C = Min. distance

2C Roller cord SG 10852	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B	Min distance C
80	6	~2.1	140	210 per metre of track	90
80	7	~2.3	160	210 per metre of track	100

2C Roller cord SG 10869	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B	Min distance C
60	4	~2.1	100	260 per metre of track	70
60	5	~2.3	120	260 per metre of track	80

PARTS

A. STANDARD PARTS

SG 3004
Clamp

SG 10840
2C roller



SG 10850
Profile



SG 11235
End cover



SG 11465
Spring stop

B. OPTIONAL PARTS



SG 3041
Bracket

SG 3582
Hook



SG 5118
Wedge



SG 6105
Hanger with plate

SG 6107
V-Hanger with plate

SG 6349
Wave curtain tape

SG 6363
Wave top hemming tape



SG 7002
Profile protector



SG 10074
Countersunk head screw M4x8

SG 10075
Lead weight 50 g/m



SG 10076
Fabric weight

SG 10407
Pan head screw M4x10



SG 10492
Pan head screw M4x8

SG 10831
Connection bridge



SG 10852
Wave 2C roller cord 80 mm



SG 10862
Recess profile



SG 10864
Recess mask



SG 10865
Support plate



SG 10869
Wave 2C roller cord 60 mm



SG 11154
Universal Smart Fix 120 mm



SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm



SG 11158
Countersunk head screw M4x12



SG 11200
Smart Fix 60 mm



SG 11201
Smart Fix 80 mm



SG 11202
Smart Fix 100 mm



SG 11203
Smart Fix 120 mm



SG 11204
Smart Fix 150 mm



SG 11205

Smart Fix 200 mm



SG 11210

Square Smart Fix 60 mm



SG 11211

Square Smart Fix 80 mm



SG 11212

Square Smart Fix 100 mm



SG 11213

Square Smart Fix 120 mm



SG 11214

Square Smart Fix 150 mm



SG 11215

Square Smart Fix 200 mm



SG 11295

End stop

The Architects of Silence

Silent Gliss is the leading global supplier of premium interior window treatments. Since 1952 we have been tirelessly committed to the development of the worlds` smoothest, quietest systems using state of the art technology.

Driven by customer needs, Silent Gliss offers functional and durable products. Expert technical advice coupled with installation and support services complete the offer. Silent Gliss stands for innovative, sustainable, tailor made solutions, exceptional design and first-class quality.

Silent Gliss Iberia, S.L.
C/Muntaner, 231 2º 1aA
08021 Barcelona
T+34 931 187 843
info@silentgliss.es

Av. Canteras, 64, Módulo 2
Nave A
28343 Valdemoro (Madrid)
T+34 912 963 831
info@silentgliss.es

silentgliss.es