



SG 2090



PRODUCT INFORMATION


- **Operation:** cord
- **Range:** S
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016
- **Fabrics:** refer to Silent Gliss fabric collection

Features:


- Easy installation on window sash

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS



1 m



2 m




0.7 kg



2 m²


B. PROFILE

Profile information



SG 2116


Velcro profile



SG 2004

Bottom bar 20x7 mm

C. HOW TO MEASURE



A: System width

B: System height

C: Cleats SG 10742 min. 150 cm above floor


D: 7 - 35 cm depending on system height

FITTING

A. FITTING INFORMATION



For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. WALL FITTING

Clip bracket SG 3666




SG 3666

Clip

SYSTEM OPTIONS

A. FABRIC MAKE-UP



A: Loop tape SG 3074

B: Cord SG 2216

C: Child safety fastener set SG 3167















D: Hollow hem

E: Bottom bar SG 2004





F: Child safety: max. distance 200 mm!

PARTS

A. STANDARD PARTS

	SG 2004 Bottom bar 20x7 mm
	SG 2116 Velcro profile
	SG 2131 End cover
	SG 2215 Eyelet
	SG 2216 Cord ø 0.85 mm
	SG 2539 Tape
	SG 2826 Bead chain connector
	SG 3074 Loop tape
	SG 3167 Child safety fastener set
	SG 3185 Cord lock
	SG 3637 Cord ø 1.5 mm
	SG 3666 Clip
	SG 10742 Child safety cord cleat
	SG 10745 Child safety break away cord connector

B. OPTIONAL PARTS

	SG 10749 Eyelet		SG 3055 Hook
	SG 10898 Child safety cord bush		SG 11482 Ring