SG 2120



PRODUCT INFORMATION

- ***Operation:*** *chain*
- ***Range:*** *L*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016, anodised aluminum*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *5-to-1 gear drive*
- *Bead chain*

04/2026/V1

SilentGliss

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS

4 m



6 m

8 kg

24 m²

B. PROFILE

Profile Information



SG 2211
Velcro profile



SG 2004
Bottom bar 20x7 mm



SG 2111
Shaft



SG 2135
Rod steel ø 3 mm



SG 2137
Rod fiberglass ø 4 mm

C. HOW TO MEASURE



A: System width
B: System height
C: Chain height
D: Safety retainer SG 10731 min. 150 cm above floor

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Bracket SG 3603





SG 3603

Bracket

C. WALL FITTING

Bracket SG 3655, SG 3660



Bracket	*X mm*
SG 3655	*58*
SG 3660	*73*



SG 3655

Bracket 50 mm



SG 3660

Bracket 65 mm

Smart Fix



Smart Fix SG 11200 - SG 11205 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.



Square Smart Fix SG 11210 - SG 11215 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix 11154-11156 and bracket SG 3603:
Screw SG 10277 (M4x12) needed.

Smart Fix	*X mm*
SG 11200 / SG 11210	*80*
SG 11201 / SG 11211	*100*
SG 11202 / SG 11212	*120*
SG 11203 / SG 11213	*140*
SG 11204 / SG 11214	*170*
SG 11205 / SG 11215	*220*
SG 11154	*132-160*
SG 11155	*162-190*
SG 11156	*212-240*



SG 3603
Bracket

SG 10277
Pan head screw M4x12

SG 10492
Pan head screw M4x8



SG 11200
Smart Fix 60 mm



SG 11201
Smart Fix 80 mm



SG 11202
Smart Fix 100 mm



SG 11203
Smart Fix 120 mm



SG 11204
Smart Fix 150 mm



SG 11205
Smart Fix 200 mm



SG 11210
Square Smart Fix 60 mm



SG 11211
Square Smart Fix 80 mm



SG 11212
Square Smart Fix 100 mm



SG 11213
Square Smart Fix 120 mm



SG 11214
Square Smart Fix 150 mm



SG 11215
Square Smart Fix 200 mm



SG 11154
Universal Smart Fix 120 mm



SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm

SYSTEM OPTIONS

A. FABRIC MAKE-UP



Type A (standard)

A: Tape SG 2164 / SG 3074
B: Tape SG 2163
C: Child safety hook set SG 3164
D: Hollow hem
E: Bottom bar SG 2004
F: Child safety: max. distance 200 mm



Type B (rod)

A: Hollow hem
B: Child safety eyelet hard fold SG 3069
C: Rod SG 2135 / SG 2137
D: Tape SG 2163
E: Child safety hook set SG 3164



Type C (rod)

A: Child safety eyelet set SG 3161
B: Rod SG 2135 / SG 2137
C: Tape SG 2163
D: Child safety hook set SG 3164
E: Option: Rod SG 2135 / SG 2137 can be installed to room side

PARTS

A. STANDARD PARTS

SG 2004
Bottom bar 20x7 mm

SG 2049
Chain drive

SG 2059
Safety clip



SG 2081
Take-up spool



SG 2111
Shaft

SG 2163
Tape



SG 2179
End cover



SG 2211
Velcro profile



SG 2539
Tape



SG 2865
Bead chain connector ø 4.6 mm



SG 2872
Bead chain plastic ø 4.6 mm



SG 3164
Child safety hook set



SG 3603
Bracket



SG 10731
Child safety retainer set

B. OPTIONAL PARTS



SG 2135
Rod steel ø 3 mm



SG 2137
Rod fiberglass ø 4 mm

SG 2164
Ring tape



SG 3055
Hook

SG 3069
Child safety eyelet

SG 3074
Loop tape



SG 3161
Child safety eyelet set

SG 3340
Cord/chain weight



SG 3655
Bracket 50 mm



SG 3660
Bracket 65 mm

SG 4845
Bead chain metal ø 4.5 mm



SG 10277
Pan head screw M4x12



SG 10492
Pan head screw M4x8



SG 11154
Universal Smart Fix 120 mm



SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm



SG 11200
Smart Fix 60 mm



SG 11201
Smart Fix 80 mm



SG 11202
Smart Fix 100 mm



SG 11203
Smart Fix 120 mm



SG 11204
Smart Fix 150 mm



SG 11205
Smart Fix 200 mm



SG 11210
Square Smart Fix 60 mm



SG 11211
Square Smart Fix 80 mm



SG 11212
Square Smart Fix 100 mm



SG 11213
Square Smart Fix 120 mm



SG 11214
Square Smart Fix 150 mm



SG 11215
Square Smart Fix 200 mm



SG 11482

Ring